Docket No.

296895US0PCT





ES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

Frank-Martin PETRAT, et al.

SERIAL NO:

GAU:

1745

FILED:

September 29, 2006

EXAMINER:

FOR:

NANOSCALAR SILICON PARTICLES IN NEGATIVE ELECTRODE MATERIALS FOR USE IN LITHIUM-ION

BATTERIES

10/594,995

INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR 1.97

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

SIR:

Applicant(s) wish to disclose the following information.

REFERENCES

- The applicant(s) wish to make of record the references listed on the attached form PTO-1449. Copies of the listed references are attached, where required, as are either statements of relevancy or any readily available English translations of pertinent portions of any non-English language references.
- A check or credit card payment form is attached in the amount required under 37 CFR §1.17(p).

RELATED CASES

- Attached is a list of applicant's pending application(s), published application(s) or issued patent(s) which may be related to the present application. In accordance with the waiver of 37 CFR 1.98 dated September 21, 2004, copies of the cited pending applications are not provided. Cited published and/or issued patents, if any, are listed on the attached PTO form 1449.
- ☐ A check or credit card payment form is attached in the amount required under 37 CFR §1.17(p).

CERTIFICATION

- ☐ Each item of information contained in this information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this statement.
- No item of information contained in this information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application or, to the knowledge of the undersigned, having made reasonable inquiry, was known to any individual designated in 37 CFR §1.56(c) more than three months prior to the filing of this statement.

DEPOSIT ACCOUNT

Please charge any additional fees for the papers being filed herewith and for which no check or credit card payment is enclosed herewith, or credit any overpayment to deposit account number 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Norman F. Oblon

James H. Knebel Registration No. 22,630

Customer Number

22850

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 05/03)

2003, Pages 38-43. Alkolay DIMOV, et al., "Carbon-coated silicon as anode material for lithium ion batteries: advantages and limitations", ELECTROCHIMCA ACTA, Vol. 48, 2003, Pages 1579-1587. Determination of the specific surface area of solids by gas adsorption using the BET method", GERMAN STANDARD, Ma 2003, 39 pages (whole document). Jun YANG, et al., "Sub-Microcrystalline Sn and Sn-SnSb Powders as Lithium Storage Materials for Lithium-Ion Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. Bo GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Page 816-819. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-163, 2002, Pages 61-68. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AL D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen at sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols.119-121, 2003, Pages 84-87. Jianjun NiU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries				FEB 0 1 2007	SHEET 1 OF 2	
LIST OF REFERENCES CITED BY APPLICANT Frank-Martin PETRAT, et al.			ATTY DOCKET NO.	13.	SERIAL NO.	
LIST OF REFERENCES CITED BY APPLICANT Frank-Martin PETRAT, et al. FILING DATE GROUP GROUP GROUP GROUP GROUP GROUP GROUP GROUP José L. TIRADO. "norganic materials for the negative electrode of lithium-ion batteries: slate-of-the-art and future prospects". MATERIALS SCIENCE AND ENGINEERING, R40, No. 3, Pebruary 14, 2003. Cover page and pages 103-138. J. GRESEPHARD, et al., "Aminiphous silicon as a possible anode material for Li-lon batteries". JOURNAL OF POWER SOURCES, Vol. 68, 1997, Pages 37-99. S. BOURDERAU, et al., "Amorphous silicon as a possible anode material for Li-lon batteries", JOURNAL OF POWER SOURCES, Vol. 68, 1997, Pages 323-238. H. BUDA, et al., "RECENT IMPROVEMENTS IN ELECTROCHEMICAL PERFORMANCE OF GRAPHITE ELECTRODE AD FOR LITHIUM-ION BATTERIES", IT LETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1, 2003, Pages 34-3. Nikolay DIMOV, et al., "Carbon-coated silicon as a node material for lithium ion batteries advantages and limitations", electromochemical and process of the specific surface area of solids by gas adsorption using the BET method", GERMAN STANDARD, Mark 2003, 39 pages (Whiche document). JUN YANG et al., "Sub-Microcytalfine 3n and 3n-ShSD Powders as Lithium Storage Materials for Lithium-ion Batteries", and ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1959, Pages 101-163. Bo GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 6, 2001, Page 316-34. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1959, Pages 101-163. AND J. J. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 1, 1999, Pages 547-549. AND J.	(Modified)	PATENT AND TRADEMARK OFFICE	296895US0PCT	A PRADEAL	10/594,995	
FILING DATE September 29, 2006 OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.) OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.) José L. TIRADO, "Inorganic materials for the negative electrode of lithium-ion batteries: state-of-the-art and future prospects", MATERIALS SCIENCE AND ENGINEERING, RaQ, No. 3, February 14, 2003, Cover page and pages 103-136. J. O. BESENHARD, et al., "Will advanced lithium-alloy anodes have a chance in lithium-ion batteries?", JOURNAL OF POWER SOURCES, Vol. 69, 1997, Pages 67-90. S. BOURDERAU, et al., "Amorphous silicon as a possible enode material for Li-ion batteries", JOURNAL OF POWER SOURCES, Vol. 61-82, 1939, Pages 233-236. AC SOURCES, Vol. 61-82, 1939, Pages 233-236. H. BUQA at al., "RECENT IMPROVEMENTS IN RECTROCHEMICAL PERFORMANCE OF GRAPHITE ELECTRODE FOR LITHIUM-ION BATTERIES", ITE LETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1, 2003, Pages 38-43. Nikoley DIMOV, et al., "Carbon-costed silicon as anode material for lithium ion batteries: advantages and limitations", ELECTROCHEMICA ACTA, Vol. 48, 2003, Pages 1579-1557. Determination of the specific surface area of solids by gas adsorption using the BET method", GERMAN STANDARD, Ma 2003, 39 pages (whole document). Jun YANG, et al., "Sub-Microcystalline Sn and Sn-SnSb Powders as Lithium Storage Materials for Lithium-ion Batteries", AC ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1998, Pages 161-163. BE GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 6, 2001, Page 1159, 2002, Pages 31-68. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1998, Pages 161-163. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 147-84. J. GRAETZ, et al., "Si-containing disorderied carbone prepared by pyrolysis of pitichypoly						
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.) José L. TIRADO, "horganic materials for the negative electrode of filihum-ion batteries: state-of-the-art and future prospects," MATERIALS SOIENCE AND ENGINEERING, R40, No. 3, February 14, 2003. Cover page and pages 103-136. J. O. BESENHARD, et al., "Will advanced lithium-alloy anodes have a chance in lithium-ion batteries?", JOURNAL OF POWER SOURCES, Vol. 68, 1997, Pages 87-30. S. BOURDERAU, et al., "Amorphous silicon as a possible anode material for Lihion batteries", JOURNAL OF POWER SOURCES, Vol. 81-92, 1999, Pages 87-30. AC SOURCES, Vol. 81-92, 1999, Pages 82-32-38. H. BUGA, et al., "RECENT MPROVEMENTS IN ELECTROCHEMICAL PERFORMANCE OF GRAPHITE ELECTRODE POR LITHIUM-ION BATTERIES", ITELETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1, 2003, Pages 33-43. Nicialay DiMOV. et al., "Carbon-coaled silicon as anode material for lithium ion batteries" advantages and limitations", ELECTROCHIMCA ACTA, Vol. 48, 2003, Pages 1579-1597. Distermination of the specific surface area of solids by gas adsorption using the BET method*, GERMAN STANDARD, Ma ACTA, Vol. 49, 2003, Pages 1579-1597. Jun YANG, et al., "Sub-Microcrystalline Sn and Sn-SnSp Powders as Lithium Storage Materials for Lithium-Ion Batteries", AG ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. BO GAO, et al., "Alliphy Formation in Nanostructured Silicon*, ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Page 316-319. J. GRAETZ, et al. "Highly Reversible Lithium Storage in Nanostructured Silicon*, ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 1, 1999, Pages 161-69. AK D. L'ARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polyslane blends: effect of oxygen as 416-4317. ALL LETTERS, Vol. 5, No. 9, 2003, Pages A194-A197. ALL LETTERS, Vol. 5, No. 9, 2003, Pages A194-A197. ALL LETTERS, Vol. 5, No. 9, 2003, Pages A194-A197. ALL LETTERS, Vol. 5, No. 9, 2004, Pages A194-A197. ALL LETTERS, Vol. 5	LIST OF REF	ERENCES CITED BY APPLICANT	Frank-Martin PETRAT, et al.			
OTHER REFERENCES (Including Author, Title, Data, Pertinent Pages, etc.) José L. TIRADO, "Inorganic materials for the negative electrode of lithium-ton batteries state-of-the-art and future prospects," MATERIALS SCIENCE AND ENGINEERING, R80, No. 3, February 14, 2003. Cover page and pages 103-136. J. O. BESENHARD, et al., "Will advanced lithium-alloy anodes have a chance in lithium-ton batteries?", JOURNAL OF AB POWER SOURCES, Vol. 63, 1997. Pages 87-90. S. BOURDERAU, et al., "Amorphous silicon as a possible anode material for Li-tion batteries", JOURNAL OF POWER SOURCES, Vols. 81-82, 1999. Pages 233-236. H. BUOA, et al., "RECENT IMPROVEMENTS IN ELECTROCHEMICAL PERFORMANCE OF GRAPHITE ELECTRODE FOR LITHIUM-IOLI BATTERIES", ITELETTERS ON BATTERIES, INC. 14, No. 1, 2003, Pages 36-43. AD 1996-38-43. AD						
José L. TIRADO, "Inorganic materials for the negative electrode of lithium-ion batteries: state-of-the-art and future prospects", MATERIALS SCIENCE AND ENGINEERING, R40, No. 3, February 14, 2003, Cover page and pages 103-136. J. O. BESENHARD, et al., "Afwill advanced lithium-alloy anodes have a chance in lithium-lon batteries?", JOURNAL OF POWER SOURCES, Vol. 68, 1997, Pages 87-90. S. BOURDERAU, et al., "Amorphous sition as a possible anode material for LHon batteries", JOURNAL OF POWER SOURCES, Vols. 81-82, 1999, Pages 233-236. H. BUOA, et al., "RECENT IMPROVEMENTS IN ELECTROCHEMICAL PERFORMANCE OF GRAPHITE ELECTRODE FOR LITHIUM-lon BATTERIES", ITE LETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1, 2003, Pages 38-43. Nikolay DIMOV, et al., "Carbon-coaled silicon as anode material for lithium ion betteries: advantages and limitations", ELECTROCHIMICA ACTA, Vol. 48, 2003, Pages 1579-1587. The imministry of the specific surface area of solids by gas adsorption using the BET method", GERMAN STANDARD, Ma 2003, 39 pages (whole document). Jun YANG, et al., "Sub-Microcrystalline Sn and Sn-ShSD Powders as Lithium Storage Materials for Lithium-Ion Batteries", AC ELECTROCHEMICA, MD SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. Bo GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Page 161-619. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATAL LETTERS, Vol. 6, No. 9, 2003, Pages 4194-4197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-56. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AND LARCHER, et al., "Si-containing disordered carbons prepared by pyrotysis of pitch/polysilane blends: effect of oxygen as unityr", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "Improvement of Usable Capacity and Cyclabil		·	September 29, 2	006	1745	
Approspects', MATERIALS SCIENCE AND ENGINEERING, R40, No. 3, February 14, 2003, Cover page and pages 103-136. J. O. BESENHARD, et al., "Will advanced lithium-alloy anodes have a chance in lithium-ion batteries?", JOURNAL OF POWER SOURCES, Vol. 88, 1997, Pages 87-90. S. BOURDERAU, et al., "Amorphous silicon as a possible anode material for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols. 1-92, 1999, Pages 233-236. B. BUCA, et al., "RECENT IMPROVEMENTS IN ELECTROCHEMICAL PERFORMANCE OF GRAPHITE ELECTRODE FOR LITHIUM-ION BATTERIES", ITE LETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1, 2003, Pages 38-43. Nikolay DIMOV, et al., "Carbon-coated silicon as anode material for lithium ion batteries: advantages and limitations", ELECTROCHIMICA ACTA, Vol. 48, 2003, Pages 1579-1587. Problemination of the specific surface area of solids by ges adsorption using the BET method", GERMAN STANDARD, Ma 2003, 39 pages (whole document). Jun YANG, et al., "Sub-Microcrystalline Sn and Sn-ShSb Powders as Lithium Storage Materials for Lithium-Ion Batteries", AG ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. Bo GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 6, 2001, Pages 315-319. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 1998. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-68. San-Cheng LAI, "Solontaining disordered carbons prepared by pyrolysis of pitch/polysiane blends. effect of oxygen at sulfur," SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", An Lithium Lithium-In			· · · · · · · · · · · · · · · · · · ·	· <u></u>		
AB POWER SOURCES, Vol. 68, 1937, Pages 87-90. S. BOURDERAU, et al., "Amorphous silicon as a possible anode material for Li-Ion batteries", JOURNAL OF POWER SOURCES, Vols. 81-82, 1999, Pages 233-236 H. BUDA, et al., "RECENT IMPROVEMENTS IN ELECTROCHEMICAL PERFORMANCE OF GRAPHITE ELECTRODE FOR LITHIUM-ION BATTERIES", ITE LETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1, 2003, Pages 38-43. AB NIKolay DIMOV, et al., "Carbon-coated silicon as anode material for lithium ion batteries: advantages and limitations", ELECTROCHIMCA ACTA, Vol. 48, 2003, Pages 1579-1587. Toetermination of the specific surface area of solids by gas adsorption using the BET method", GERMAN STANDARD, Ma 2003, 39 pages (whole document). AG JUN YANG, et al., "Sub-Microcystalline Sn and Sn-ShSD Powders as Lithium Storage Materials for Lithium-Ion Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. BG GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Pages 816-819. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 1196-1197. AR Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-193, 2002, Pages 51-549. AL LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen at al. sulfu", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 54-7-549. M. J. LINDSAY, et al., "Al-based anode materials for Lithium batteries", DURNAL OF POWER SOURCES, Vols. 119-121, AND 2003, Pages 84-87. AD Janjun NiU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries SOC., Vol. 124, August 1977, Pages 1207-1	AA					
AC SOURCES, Vols. 81-82, 1999, Pages 233-236. H. BUQA, et al., "RECENT IMPROVEMENTS IN ELECTROCHEMICAL PERFORMANCE OF GRAPHITE ELECTRODE AD FOR LITHIUM-ION BATTERIES", ITE LETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1, 2003, Pages 38-43. Niviley DIMOV, et al., "Carbon-coated silicon as anode material for lithium ion batteries: advantages and limitations", ELECTROCHIMCA ACTA, Vol. 48, 2003, Pages 1579-1587. Determination of the specific surface area of solids by gas adsorption using the BET method", GERMAN STANDARD, Ma 2003, 39 pages (whole document). JOHN YANG, et al., "Sub-Microcrystalline Sn and Sn-SnSb Powders as Lithium Storage Materials for Lithium-Ion Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. BO GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Pages 816-819. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STAT LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-68. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AK D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen alsolutur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Heng LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A197-A110 Randali N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 124, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 AQ 0. 2, February 1995, Pages 326-332. A. M. WILSON, et al., "High capacity silicon/	AB					
AD FOR LITHIUM-ON BATTERIES", ITE LETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1, 2003, Pages 38-43. Nikolay DIMOV, et al., "Carbon-costed silicon as anode material for lithium ion batteries: advantages and limitations", ELECTROCHIMCA ACTA, Vol. 48, 2003, Pages 1579-1587. "Determination of the specific surface area of solids by gas adsorption using the BET method", GERMAN STANDARD, Ma 2003, 39 pages (whole document). Jun YANG, et al., "Sub-Microcrystalline Sn and Sn-SnSb Powders as Lithium Storage Materials for Lithium-Ion Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. Bo GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Page 816-819. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STAT LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-68. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AK D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen as suffur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. AM J. LINDSAY, et al., "Al-ibased anode materials for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 947-549. M. J. LINDSAY, et al., "Al-ibased anode materials for Lithium Dilitization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1, 24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 1, No. 2, February 1995, Pages 326-332. A. M. WILSON, et al., "High capacity silicon/carbon composite anode materials for lithium in batteries for lithium in batteries for lithium in batteries in Carbon Social Silicon and Carbons Soci	AC					
AE ELECTROCHIMCA ACTA, Vol. 48, 2003, Pages 1579-1587. Telermination of the specific surface area of solids by gas adsorption using the BET method*, GERMAN STANDARD, Ma 2003, 39 pages (whole document). Jun YANG, et al., "Sub-Microcrystalline Sn and Sn-SnSb Powders as Lithium Storage Materials for Lithium-Ion Batteries*, ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. Bo GAO, et al., "Alloy Formation in Nanostructured Silicon*, ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Page 816-819. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon*, ELECTROCHEMICAL AND SOLID-STA* LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems*, SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-88. San-Cheng LAI, "Solid Lithium-Silicon Electrode*, THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AK D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen al sulfur*, SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-SI Composite Anode Material for Lithium Rechargeable Batteries*, ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries*, JOURNAL OF POWER SOURCES, Vols.119-121, 2003, Pages 84-87. AD 2003, Pages 84-87. Jianjun NIU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix*, ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode*, J. ELECTROCHEM. SOC., Vol. 14, August 1977, Pages 1207-1214. A. M. WILSON, et al., "High capacity silicon/carbon composite anode materials for lithium in batteries, ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AD	FOR LITHIUM-ION BATTERIES", ITE LETTERS ON BATTERIES, NEW TECHNOLOGIES AND MEDICINE, Vol. 4, No. 1,				
AF 2003, 39 pages (whole document). AG Jun YANG, et al., "Sub-Microcrystalline Sn and Sn-SnSb Powders as Lithium Storage Materials for Lithium-Ion Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. BO GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Page 816-819. AJ J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATAL LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-68. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AK D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen al sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "Alliph Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols. 119-121, AN 2003, Pages 84-87. Jianjun NiU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "High capacity silicon/carbon composite anode materials for lithium in batteries, ELECTROCHEMISTRY COMMUNICATIONS, Vol. Madditional References sheet(s) attached and composite anode materials for lithium in batteries, ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AE	Nikolay DIMOV, et al., "Carbon-coated silicon as anode material for lithium ion batteries: advantages and limitations",				
AG ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 4, 1999, Pages 161-163. Bo GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Page 816-819. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STAT LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-68. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AK D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen at sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols. 119-121, 2003, Pages 84-87. Jianjun NIU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 AQ No. 2, February 1995, Pages 326-332. AR for ithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AF	"Determination of the specific surface area of solids by gas adsorption using the BET method", GERMAN STANDARD, May 2003, 39 pages (whole document).				
AH 816-819. J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STA' LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-68. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AK D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen at sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols.119-121, 2003, Pages 84-87. Jianjun Nilu, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AG					
AJ LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197. Robert A. HUGGINS, "Alternative materials for negative electrodes in lithium systems", SOLID STATE IONICS, Vols. 152-153, 2002, Pages 61-68. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AK D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen at sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols.119-121, 2003, Pages 84-87. Jianjun NiU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol. Additional References sheet(s) attached.	AH	Bo GAO, et al., "Alloy Formation in Nanostructured Silicon", ADVANCED MATERIALS, Vol. 13, No. 11, June 5, 2001, Pages 816-819.				
AJ 153, 2002, Pages 61-68. San-Cheng LAI, "Solid Lithium-Silicon Electrode", THE ELECTROCHEMICAL SOCIETY, Pages 1196-1197. AK D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen at sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols.119-121, 2003, Pages 84-87. Jianjun NiU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 AQ No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	Ai	J. GRAETZ, et al., "Highly Reversible Lithium Storage in Nanostructured Silicon", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 6, No. 9, 2003, Pages A194-A197.				
D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen at sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols.119-121, 2003, Pages 84-87. Jianjun NiU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AJ					
AL sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83. Hong LI, et al., "A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols.119-121, 2003, Pages 84-87. Jianjun NIU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AK					
AM ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 2, No. 11, 1999, Pages 547-549. M. J. LINDSAY, et al., "Al-based anode materials for Li-ion batteries", JOURNAL OF POWER SOURCES, Vols.119-121, 2003, Pages 84-87. Jianjun NIU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AL	D. LARCHER, et al., "Si-containing disordered carbons prepared by pyrolysis of pitch/polysilane blends: effect of oxygen and sulfur", SOLID STATE IONICS, Vol. 122, 1999, Pages 71-83.				
AN 2003, Pages 84-87. Jianjun NIU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AM					
by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110 Randall N. SEEFURTH, et al., "Investigation of Lithium Utilization from A Lithium-Silicon Electrode", J. ELECTROCHEM. SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 AQ No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AN					
AP SOC., Vol. 1.24, August 1977, Pages 1207-1214. A. M. WILSON, et al., "Lithium Insertion in Carbons Containing Nanodispersed Silicon", J. ELECTROCHEM. SOC., Vol. 14 AQ No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol.	AC	Jianjun NIU, et al., "Improvement of Usable Capacity and Cyclability of Silicon-Based Anode Materials for Lithium Batteries by Sol-Gel Graphite Matrix", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 5, No. 6, 2002, Pages A107-A110.				
AQ No. 2, February 1995, Pages 326-332. Z. S. WEN, et al., "High capacity silicon/carbon composite anode materials for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol. Additional References sheet(s) attache	AP					
AR for lithium ion batteries", ELECTROCHEMISTRY COMMUNICATIONS, Vol. Additional References sheet(s) attache	AC					
	AR	for lithium ion batteries", ELECTROC			Additional References sheet(s) attache	
Examiner Date Considered	Examiner				Date Considered	
*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in	*Examiner: Initial i	f reference is considered, whether or no	ot citation is in conforms	Ince with MPFP 60	9: Draw line through citation if not in	
conformance and not considered. Include copy of this form with next communication to applicant.						

			FEB 0 1 2007	F/			
			The same of the sa	SHEET 2 OF 2			
Form PTO 1449 (Modified)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY DOCKET NO.	SERIAL NO.			
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			296895US0PCT	10/594,995			
LIST OF REFERENCES CITED BY APPLICANT			APPLICANT Figure 1: Mantin DETDAT at all				
LIST OF REFERENCES CITED BY AFTERDAM		(2,1020 01123 3 1 7 11 1 2107 11 1	Frank-Martin PETRAT, et al.				
			FILING DATE September 20, 2006	GROUP 1745			
			September 29, 2006	1745			
			Including Author, Title, Date, Pertinent				
	AAA	W. J. WEYDANZ, et al., "A room temperature study of the binary lithium-silicon and the ternary lithium-chromium-silicon system for use in rechargeable lithium batteries", JOURNAL OF POWER SOURCES, Vols. 81-82, 1999, Pages 237-242.					
	AAB	J. YANG, et al., "Small particle size multiphase Li-alloy anodes for lithium-ion-batteries", SOLID STATE IONICS, Vol. 90, 1996, Pages 281-287.					
	AAC	Corina LUPU, et al., "X-ray and Neutron Diffraction Studies on "Li44Sn", INORGANIC CHEMISTRY, Vol. 42, No. 12, 2003, Pages 3765-3771.					
	AAD	Keith D. KEPLER, et al., "Li _x Cu ₆ Sn ₅ (0 <x<13): 1999,="" 2,="" 307-309.<="" 7,="" an="" and="" batteries",="" electrochemical="" electrode="" for="" insertion="" intermetallic="" letters,="" lithium="" no.="" pages="" rechargeable="" solid-state="" td="" vol.=""></x<13):>					
	AAE	Martin WINTER, et al., "Insertion Electrode Materials for Rechargeable Lithium Batteries", ADVANCED MATERIALS, Vol. 10, No. 10, 1998, Pages 725-763.					
	AAF	Martin WINTER, et al., "Electrochemical lithiation of tin and tin-based intermetallics and composites", ELECTROCHIMICA ACTA, Vol. 45, 1999, Pages 31-50.					
	AAG	J. YANG, et al., "Si/C Composites for High Capacity Lithium Storage Materials", ELECTROCHEMICAL AND SOLID-STATE LETTERS, Vol. 6, No. 8, 2003, Pages A154-A156.					
	AAH	•					
	AAI						
	AAJ						
	AAK						
	AAL						
	AAM						
	AAN						
	AAO						
	AAP						
	AAQ						
Examiner				Date Considered			
4			t citation is in conformance with MPEP 60 with next communication to applicant.	9; Draw line through citation if not in			